



CAR BENCH[®]
CAR BENCH INTERNATIONAL SPA

ONLY THE BEST CAN BE NUMBER ONE

TURTLE





Support Plate





The “Turtle” bench is produced accordingly to the most rigid safety rule (CE-certification).

Its pneumo-hydraulic lift can be fixed on the floor or eventually embedded thanks to a special embedding kit; it can be installed inside any type of spray booths or preparation areas.

With its maximal height of 1200mm and through its loading capacity of 2500Kg from ground level it can do any type of job.

The cylinder mounted on the lift is covered by a special protection to avoid any damages due to the painting work.

The Turtle is equipped with a special pump for lifting operations with remote control and with 4 special axle stands which are positioned directly on the regulating arms.



TURTLE



TECHNICAL FEATURES

Nominal Capacity	2500 Kg
Max pressure upward	500 bar
Minimum height above ground	115 mm
Maximum height above ground	1200 mm
Length	1670 mm
Width	550 mm



TURTLE

CAR BENCH
TRAINING ACADEMY

REPAIR
METHODS

CAR BENCH
EQUIPMENT TRAINING

CUSTOMIZED
OEM TRAININGS



Car Bench International S.p.A.
Via Dorsale, 22 - 54100 Massa (MS) - ITALY
info@carbench.it - ph. +39 0585 251261
www.carbenchinternational.com