


ONLY THE BEST CAN BE NUMBER ONE

MURAENA










MURAENA





MURAENA



SCISSOR LIFT CONFIGURATION

The bench combined with a special scissor lift is **mobile and inclinable on both ends**.

Its dimensions have been optimized to **allow the maximum accessibility**, both inside and outside the frame during the entire repair process in order to work in an efficient ergonomics approach.

Its technical specifications enable the end-user to **carry out realignment operations when repairing passenger's cars**, light commercial and off-road vehicles while maintaining a comfortable working posture.

The frame is manufactured using a high tensile steel box-section which is milled to ensure a **precise positioning of the checking points**.

It can be fitted with **one or more Muraena or Piranha pull posts** positioned, also very close to each other.

Approach ramps and side runners thanks to their specific design allow the loading on board of vehicle without dismantling the basic equipment.









MURAENA



TECHNICAL FEATURES

MOBILE BENCHES WITH MURAENA FRAME				
Bench Lenght	4,5 m (15')		5,2 m (17')	
Frame weight	940 Kg		1090 Kg	
SCISSOR LIFTS WITH MURAENA FRAMES	4,5 TON. LOAD CAPACITY		6,0 TON. LOAD CAPACITY	
Bench Length	4,5 m (15')	5,2 m (17')	5,2 m (17')	
Min. lifting height	320 mm (1')		320 mm (1')	
Max. lifting height from working area	1800 mm (5' 90")		1800 mm (5' 90")	
Weight of lift with frame	1,60 ton.	1,70 ton.	1,70 ton.	
Nominal Power	2 Kw		2 Kw	
Nominal Voltage	380 V		380 V	
Nominal Current	4,3 A		4,3 A	
Nominal Frequency	50 Hz		50 Hz	
Max pressure when lifting	280 Bar		280 Bar	
Max pressure when lowering	130 Bar		130 Bar	

PULL POSTS	MURAENA	PIRANHA
Pulling power	12 ton.	10 ton.
Pushing power	12 ton.	-



CAR BENCH TRAINING ACADEMY REPAIR METHODS CAR BENCH EQUIPMENT TRAINING OEM TRAININGS









Via Dorsale, 22 - 54100 Massa (MS) - ITALY info@carbench.it - ph. +39 0585 251261 www.carbenchinternational.com